



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
प्रधानमन्त्री कृषि आधुनिकीकरण परियोजना
परियोजना कार्यान्वयन एकाई

पत्र संख्या: ०८१/८२

चलानी नं.:



चौतारा, सिन्धुपाल्चोक

फोन:-०११-६२०१२५ (सिन्धुपाल्चोक), ०११-६६२२५८ (काभ्रे)

ईमेल:pmamp.piu.sindhupalchok@gmail.com

सूचना !

मिति: २०८१/१२/२८

विषय: कृषियन्त्र औजार उपकरणहरुको इकाई दररेट प्रकाशन गरिएको।

यस परियोजना कार्यान्वयन एकाईको चालू आ.ब. २०८१/०८२ को वार्षिक स्वीकृत कार्यक्रम “जोन/सुपरजोन क्षेत्रमा कृषि यान्त्रीकरण सहयोग” कार्यान्वयनका लागि यस कार्यालयमा प्रस्ताव पेश गरी छनौट भएका लाभग्राही उपभोक्ता कृषक/समूह/सहकारी/समिति/फर्म/उद्योगीहरु मार्फत लागत साझेदारीमा कार्यक्रम सञ्चालन गर्ने प्रयोजनार्थ प्रतिस्पर्धात्मक शैलीमा शिलबन्दि दररेट प्रस्तावपत्र आब्हान गरी अनुदान सहयोग प्रयोजनार्थ कृषियन्त्र औजार उपकरणहरुको देहाय बमोजिम न्यूनतम इकाई दररेट कायम गरिएको छ। स्वीकृत प्राविधिक स्पेसिफिकेसन (Technical specification) भएका कृषियन्त्र औजार उपकरणहरु लाभग्राही कृषकहरुले आफ्नै लगानीमा कुनैपनि कृषियन्त्र आपूर्तिकर्ताबाट स्वतन्त्रपूर्वक खरिद गरी सञ्चालनमा ल्याई कार्यक्रम कार्यान्वयन गर्नुहुन जानकारी गराइन्छ। कृषियन्त्र औजार उपकरणहरुको प्राविधिक स्पेसिफिकेसन नमिलेको, कार्य सम्पन्न नभएको वा आवश्यक कागजात नपुगेको लाभग्राहीलाई लागत साझेदारी रकम भुक्तानी नहुने बेहोरा जानकारी गराइन्छ।

कार्यालयसँग भएको सम्झौता अनुसार लाभग्राहीले कार्य सम्पन्न गरी आवश्यक कागजातहरु संलग्न राखी भुक्तानीकोलागि कार्यालयमा पेश भए पश्चात कार्यालयबाट लागत साझेदारी स्वरूप सहयोग हुने रकम न्यूनतम इकाई दररेटको आधारमा बढीमा ५० प्रतिशत शोधभर्ना वापत सम्बन्धित लाभग्राहीको बैङ्क खातामा भुक्तानी हुने बेहोरा समेत जानकारी गराइन्छ।

(सुरेन्द्र प्रसाद पोखरेल)
वरिष्ठ कृषि अधिकृत




Prime Minister Agriculture Modernization Project, Project Implementation at Jang S. Mahapatra Chowk
Implementation of Agricultural Mechanization assistance/promotion program in Zone Superzone area.

Approved Price and specifications of Farm Machineryes (Fiscal Year 2081/82)

S.N.	Name of Machine(s)/ Implements	Technical Specifications of farm machine	Unit	Approved Least Amount (Price rate NRs.)	Subsidy Amount price rate (50%) of Least Amount Quoted (NRs.) for farmers
1	Mini Tiller (Gasoline)	Mini tiller of 5 - 7.5 hp capacity, 4 stoke petrol, air cooling, manually starting engine, gear system power transmission, 1,2,0,-1 numbers of gears, gross weight of 80-100 kg and fuel tank capacity having 2.5 - 4 lit., and having double clutch system for safety use. Tilling width should be 700-900 mm. A set of 20-30 tilling blades and tool box should be added as spare parts. Required amount of lubricating and fuel oil for testing purpose should include and must be minimum of 1 year's service warranty is required.	Number	34,500.00	17,250.00
2	Mini Tiller (Gasoline)	Mini tiller of 7.6 - 9 hp capacity, 4 stoke petrol, air cooling, manually starting engine, gear system power transmission, 1,2,0,-1 numbers of gears, gross weight of 100-125 kg and fuel tank capacity having 4 - 6 lit., and having double clutch system for safety use. Tilling width should be 900--1100 mm. A set of 24-36 tilling blades and tool box should be added as spare parts. Required amount of lubricating and fuel oil for testing purpose should include and must be minimum of 1 year's service warranty is required.	Number	52,000.00	26,000.00
3	Mini Tiller (Gasoline)	Mini tiller of 7.6 - 9 hp capacity, 4 stoke petrol, air cooling, manually starting engine, gear system 4 wheel power transmission, 1,2,0,-1 numbers of gears, gross weight of 100-125 kg and fuel tank capacity having 4 - 6 lit., and having double clutch system for safety use. Tilling width should be 900--1100 mm. A set of 24-36 tilling blades and tool box should be added as spare parts, paddy wheel, Iron walking wheel, field walking wheel as extra tools. Required amount of lubricating and fuel oil for testing purpose should include and must be minimum of 1 year's service warranty is required.	Set	64,000.00	32,000.00

Handwritten signature
 सुरेन्द्र प्रसाद पाण्डेय
 वरिष्ठ कृषि अधिकारी



Technical Specifications of farm machine

S.N.	Name of Machine(s)/ Implements	Technical Specifications of farm machine	Unit	Approved Least Amount (Price rate NRs.)	Subsidy Amount price rate (50%) of Least Amount Quoted (NRs.) for farmers
8	Flour Mill /Disc Mill	A complete grain flour milling plant for animal feed making purpose, having milling capacity of 150-200 kg/hr, gross weight of 40-55 kg. Made of mild steel materials & working with 1.5-3 hp single phase electric motor with belt safety cover.	Number	24,000.00	12,000.00
9	Chaff Cutter (Electric)	Semi automatic chaff cutter suitable for both green and dry hard and soft grasses, working capacity minimum 400 kg/hrs (green grass base), operated by single phase at least 2 hp electric copper wired motor. no of cutting blades 2 or more and no of roller 3 gross weight should be more than 80 kgs.	Number	31,000.00	15,500.00
10	Mini Corn Sheller (Single tube)	Single tube electric motor operated mini corn sheller made of stainless steel with high threshing ratio and low crushing ratio. Having capacity of at least 200 kg/hour, gross weight minimum 12 kg and single phase motor should be minimum rated 100 % copper wire not less than 0.5 hp. Clean separation with non-slip base for safety.	Number	8,000.00	4,000.00
11	Mini Corn Sheller (Multiple cob feeding)	Multiple cob feeding electric motor operated mini corn sheller made of stainless steel with high threshing ratio and low crushing ratio. having capacity of at least 400 kg/hour, gross weight minimum 20 kg and single phase motor should be minimum rated 100 % copper wire not less than 1 hp. Clean separation with non-slip base for safety.	Number	13,500.00	6,750.00
12	Multifunctional Tiller	Tiller of 5-7.5 hp petrol engine, gear and chain system power transmission. tilling width minimum 700-800 mm. Gross weight 100-130 kgs and having fuel tank capacity of 3-5 lit. 5 pics of ditching blades, a set of 3*3 rotatory blades, a set of iron and rubber wheel and tool box should be added as spare parts. Required amount of lubricating and fuel oil for testing purpose is included and must be minimum of 1 year's service warranty is required.	Number	85,000.00	42,500.00
13	Power Weeder	A power weeder suitable to remove the weed between crop row, with 1.5 kw 4 stock petrol engine, minimum working width 300 mm	Number	35,000.00	17,500.00

Note : Price inclusive of all VAT and tax, and one year service warranty needed

Handwritten signature
 सुरेन्द्र प्रसाद पोखरेल
 बरिष्ठ सॉफ्ट अग्रिकल्चर



कृषि तथा
पर्यावरण
विभाग
भारत सरकार
नई दिल्ली

Technical Specifications of **Mini Tillage**

S.N.	Name of Machine(s)/ Implements	Technical Specifications	Unit	Approved Least Amount (Price rate NRs.)	Subsidy Amount price rate (50%) of Least Amount Quoted (NRs.) for farmers
4	Mini Tiller (Diesel)	Mini tiller of 5-6 hp capacity, 4 stoke diesel, air cooling, manually starting engine, gear system power transmission, 1,2,0,-1 numbers of gears, gross weight of 90-100 kg and fuel tank capacity having 2 - 3.5 lit., and having double clutch system for safety use. Tilling width should be 700-900 mm. A set of 20-30 tilling blades and tool box should add as spare parts. Required amount of lubricating and fuel oil for testing purpose is included and must be minimum of 1 year's service warranty is required.	Number	47,000.00	23,500.00
5	Mini Tiller (Diesel)	Mini tiller of 6.1-7 hp capacity, 4 stoke diesel, air cooling, manually starting engine, gear system power transmission, 1,2,0,-1 numbers of gears, gross weight of 110-125 kg and fuel tank capacity having 3-5 lit., and having double clutch system for safety use. Tilling width should be 900-1100 mm. A set of 24-36 tilling blades and tool box should be added as spare parts. Required amount of lubricating and fuel oil for testing purpose is included and must be minimum of 1 year's service warranty is required.	Number	54,500.00	27,250.00
6	Mini Tiller (Diesel)	Mini tiller of 7-9 hp capacity, 4 stoke diesel, air cooling, manually starting engine, gear system 4 wheel power transmission, 1,2,0,-1 numbers of gears, gross weight of 110-125 kg and fuel tank capacity having 3-5 lit., and having double clutch system for safety use. Tilling width should be 900-1100 mm. A set of 24-36 tilling blades and tool box should be added as spare parts. paddy wheel, Iron walking wheel, field walking wheel as extra tools, required amount of lubricating and fuel oil for testing purpose is included and must be minimum of 1 year's service warranty is required.	Set	100,000.00	50,000.00
7	Power Tiller	Power tiller of 10-12 hp capacity suitable for multipurpose farm work, having 4 stoke diesel engine and water hopper cooling system. gear and chain system power transmission, 2-reverse, 6-forward (both high low) numbers of gears. minimum ground clearance 180 mm. A set of rotary cultivators attached having minimum of 18 blades and covering minimum of 500 -700 mm tilling width. Required amount of lubricating and fuel oil for testing purpose is included and must be minimum of 1 year's service warranty is required.	Number	160,000.00	80,000.00

Handwritten signature
सुरेश कुमार शर्मा
नरिस नो. अधिकारी